

## PHYSICIAN'S ORDER SET

<b>DRUG SENSITIVITY</b>	1.	2.	3.	4.
<small>ORDERS: Another brand of a generically equivalent product identical in dosage form and content of active ingredient may be administered unless checked.</small>			Page 1 of	✓
				<small>PATIENT IMPRINT</small>

DATE	Heparin Infusion Order Form																																			
<ol style="list-style-type: none"> <li>1. Make calculations for weight based dosing using _____ kg.</li> <li>2. Bolus IV Heparin 70-80 units/kg = _____ units up to _____ units.</li> <li>3. Start IV Heparin Infusion at _____ units/hr (25,000 units of Heparin in 500 ml of fluid).</li> <li>4. Warfarin _____mg PO Q Day to start on day _____ of Heparin treatment. Prothrombin time Q Day starting day _____ of Warfarin. Call result to MD.</li> <li>5. Lab: APTT, PT, CBC now (if not done in past _____ hours.) Stat APTT 6 hours after Heparin bolus CBC with platelet count Q 3 days.</li> <li>6. Nursing: Notify unit secretary of start time of bolus and infusion so APTT can be scheduled 6 hrs after initiation.</li> <li>7. Complete desired protocol.</li> </ol>																																				
***Weight Based Protocol***																																				
<table border="1" style="width: 100%; border-collapse: collapse; font-size: 0.8em;"> <thead> <tr> <th style="width: 10%;">PTT (sec)</th> <th style="width: 20%;">Bolus Dose</th> <th style="width: 15%;">Stop Infusion</th> <th style="width: 30%;">Rate Change</th> <th style="width: 25%;">Repeat PTT</th> </tr> </thead> <tbody> <tr> <td>&lt;35</td> <td>70-80 units/kg = _____ units</td> <td style="text-align: center;">-0-</td> <td>+4 units kg/hr = _____ units/hr</td> <td style="text-align: center;">6 hrs</td> </tr> <tr> <td>35-45</td> <td>40 units/kg = _____ units</td> <td style="text-align: center;">-0-</td> <td>+2 units/kg hr = _____ units/hr</td> <td style="text-align: center;">6 hrs</td> </tr> <tr> <td>46-70</td> <td style="text-align: center;">-0-</td> <td style="text-align: center;">-0-</td> <td style="text-align: center;">No Change</td> <td style="text-align: center;">Next AM</td> </tr> <tr> <td>71-90</td> <td style="text-align: center;">-0-</td> <td style="text-align: center;">-0-</td> <td>-2 units/kg hr = _____ units/hr</td> <td style="text-align: center;">Next AM</td> </tr> <tr> <td>&gt;90</td> <td style="text-align: center;">-0-</td> <td>_____ minutes</td> <td>-3 units/kg hr = _____ units/hr</td> <td style="text-align: center;">6 hrs</td> </tr> </tbody> </table>		PTT (sec)	Bolus Dose	Stop Infusion	Rate Change	Repeat PTT	<35	70-80 units/kg = _____ units	-0-	+4 units kg/hr = _____ units/hr	6 hrs	35-45	40 units/kg = _____ units	-0-	+2 units/kg hr = _____ units/hr	6 hrs	46-70	-0-	-0-	No Change	Next AM	71-90	-0-	-0-	-2 units/kg hr = _____ units/hr	Next AM	>90	-0-	_____ minutes	-3 units/kg hr = _____ units/hr	6 hrs					
PTT (sec)	Bolus Dose	Stop Infusion	Rate Change	Repeat PTT																																
<35	70-80 units/kg = _____ units	-0-	+4 units kg/hr = _____ units/hr	6 hrs																																
35-45	40 units/kg = _____ units	-0-	+2 units/kg hr = _____ units/hr	6 hrs																																
46-70	-0-	-0-	No Change	Next AM																																
71-90	-0-	-0-	-2 units/kg hr = _____ units/hr	Next AM																																
>90	-0-	_____ minutes	-3 units/kg hr = _____ units/hr	6 hrs																																
***Gusto Protocol***																																				
<table border="1" style="width: 100%; border-collapse: collapse; font-size: 0.8em;"> <thead> <tr> <th style="width: 10%;">PTT (sec)</th> <th style="width: 20%;">Bolus Dose</th> <th style="width: 15%;">Stop Infusion</th> <th style="width: 30%;">Rate Change</th> <th style="width: 25%;">Repeat PTT</th> </tr> </thead> <tbody> <tr> <td>&lt;50</td> <td style="text-align: center;">5,000 units</td> <td style="text-align: center;">-0-</td> <td>+3 cc/hr (150 units/hr)</td> <td style="text-align: center;">6 hrs</td> </tr> <tr> <td>50-59</td> <td style="text-align: center;">-0-</td> <td style="text-align: center;">-0-</td> <td>+2 cc/hr (100 units/hr)</td> <td style="text-align: center;">6 hrs</td> </tr> <tr> <td>60-80</td> <td style="text-align: center;">-0-</td> <td style="text-align: center;">-0-</td> <td style="text-align: center;">No Change</td> <td style="text-align: center;">Next AM</td> </tr> <tr> <td>81-90</td> <td style="text-align: center;">-0-</td> <td style="text-align: center;">-0-</td> <td>-1 cc/hr (50 units/hr)</td> <td style="text-align: center;">Next AM</td> </tr> <tr> <td>91-100</td> <td style="text-align: center;">-0-</td> <td style="text-align: center;">30 minutes</td> <td>-2 cc/hr (100 units/hr)</td> <td style="text-align: center;">6 hrs</td> </tr> <tr> <td>&gt;100</td> <td style="text-align: center;">-0-</td> <td style="text-align: center;">60 minutes</td> <td>-3 cc/hr (150 units/hr)</td> <td style="text-align: center;">6 hrs</td> </tr> </tbody> </table> <p style="text-align: center; font-size: 0.8em;">For individualized additional orders use routine order form.</p>		PTT (sec)	Bolus Dose	Stop Infusion	Rate Change	Repeat PTT	<50	5,000 units	-0-	+3 cc/hr (150 units/hr)	6 hrs	50-59	-0-	-0-	+2 cc/hr (100 units/hr)	6 hrs	60-80	-0-	-0-	No Change	Next AM	81-90	-0-	-0-	-1 cc/hr (50 units/hr)	Next AM	91-100	-0-	30 minutes	-2 cc/hr (100 units/hr)	6 hrs	>100	-0-	60 minutes	-3 cc/hr (150 units/hr)	6 hrs
PTT (sec)	Bolus Dose	Stop Infusion	Rate Change	Repeat PTT																																
<50	5,000 units	-0-	+3 cc/hr (150 units/hr)	6 hrs																																
50-59	-0-	-0-	+2 cc/hr (100 units/hr)	6 hrs																																
60-80	-0-	-0-	No Change	Next AM																																
81-90	-0-	-0-	-1 cc/hr (50 units/hr)	Next AM																																
91-100	-0-	30 minutes	-2 cc/hr (100 units/hr)	6 hrs																																
>100	-0-	60 minutes	-3 cc/hr (150 units/hr)	6 hrs																																
Physician Signature _____																																				
AM    PM <input type="checkbox"/> Telephone / Verbal <input type="checkbox"/> Read back <input type="checkbox"/> Confirmed																																				

**STOP ORDER POLICY**

1. Controlled Substances and Antibiotics: Seven (7) days

**VERBAL ORDER AUTHENTICATION**

1. Restraint orders - 24 hours signed and dated
2. Code/Resuscitation status of a patient and Schedule II substances – signed and dated within three (3) days

**DO NOT USE THE FOLLOWING ABBREVIATIONS:**

U, IU, QD, QOD, MS, MSO<sub>4</sub>, MgSO<sub>4</sub>, ug, OU, OS, OD, AU, AS, AD, TIW, Chemotherapy abbreviations

Never write a zero by itself after a decimal point – i.e. write 5 mg

Always use a zero before a decimal point – i.e. write 0.5 mg